

# TimeTrac SERVICE REPORT

**Cessna C208 Template**  
 Serial Number: XX  
 Airframe Total Time: 0.0  
 Prepared: 8/4/11 (12:05 PM)

**Caravan Leasing Co., LLC**  
 PO Box 9345  
 Anchorage, AK 99452



COMPONENT	MODEL	ATA	ACTION	INTERVAL	USED	REMAINING
<b>AIRFRAME</b>						
<input type="checkbox"/>	<input type="checkbox"/>		Annual Inspection	INSPECT	12M	1M 11M
<input type="checkbox"/>	<input type="checkbox"/>		Bulkheads/Stiffeners at FS 143/158	INSPECT	7500.0H	0.0H 7500.0H
<input type="checkbox"/>	<input type="checkbox"/>		Cargo Door & Pax Door Doublers	INSPECT	7500.0H	0.0H 7500.0H
<input type="checkbox"/>	<input type="checkbox"/>		Carry-Thru Root Rib	INSPECT	20000.0H	0.0H 20000.0H
<input type="checkbox"/>	<input type="checkbox"/>		Concorde Battery- Initial Cap Check	INSPECT	600.0H	0.0H 600.0H
<input type="checkbox"/>	<input type="checkbox"/>		Concorde Battery- Recurring Cap Check	INSPECT	200.0H	0.0H 200.0H
<input type="checkbox"/>	<input type="checkbox"/>		Crew Curtain/Inspect Condition	INSPECT	400.0H	0.0H 400.0H
<input type="checkbox"/>	<input type="checkbox"/>		Crew Door Frames	INSPECT	20000.0H	0.0H 20000.0H
<input type="checkbox"/>	<input type="checkbox"/>		CTR/INBD Flap Track			
<input type="checkbox"/>	<input type="checkbox"/>		Elevator Pushrod Replacement			
<input type="checkbox"/>	<input type="checkbox"/>		ELT 91.207 Ops Check/H	INSPECT	12M	1M 11M
<input type="checkbox"/>	<input type="checkbox"/>		Engine Truss and Ring Assembly	INSPECT	20000.0H	0.0H 20000.0H
<input type="checkbox"/>	<input type="checkbox"/>		ERDA Chair Inspection	INSPECT	400.0H	0.0H 400.0H
<input type="checkbox"/>	<input type="checkbox"/>		Firewall Brace and Doubler Assembly	INSPECT	20000.0H	0.0H 20000.0H
<input type="checkbox"/>	<input type="checkbox"/>		Flap Tracks Outboard	INSPECT	15000C	0C 15000C
<input type="checkbox"/>	<input type="checkbox"/>		Flap Tracks- Center and INBD	INSPECT	15000C	0C 15000C
<input type="checkbox"/>	<input type="checkbox"/>		Front Spar Lower Cap INBD of 14120	INSPECT	20000.0H	0.0H 20000.0H
<input type="checkbox"/>	<input type="checkbox"/>		Fuel Pump Outlet Filter	REPLACE	500.0H	0.0H 500.0H
<input type="checkbox"/>	<input type="checkbox"/>		Fuselage Engine Mount Fittings	REPLACE	20000.0H	0.0H 20000.0H
<input type="checkbox"/>	<input type="checkbox"/>		Fuselage Skin Doubler at MLG Cutout	INSPECT	5000.0H	0.0H 5000.0H
<input type="checkbox"/>	<input type="checkbox"/>		Fuselage to Horizontal Stab Attach Fittings	INSPECT	20000.0H	0.0H 20000.0H
<input type="checkbox"/>	<input type="checkbox"/>		Fuselage to Strut Attach Fitting Lugs	INSPECT	10000.0H	0.0H 10000.0H
<input type="checkbox"/>	<input type="checkbox"/>		Fuselage to Strut Attach Fittings	INSPECT	2500.0H	0.0H 2500.0H
<input type="checkbox"/>	<input type="checkbox"/>		Fuselage to Wing Attach Fitting Lug	INSPECT	20000.0H	0.0H 20000.0H
<input type="checkbox"/>	<input type="checkbox"/>		Fuselage to Wing CT fitting and BH	INSPECT	12500.0H	0.0H 12500.0H
<input type="checkbox"/>	<input type="checkbox"/>		Gill Battery- Initial Cap Check	INSPECT	800.0H	0.0H 800.0H

# TimeTrac SERVICE REPORT



**Cessna C208 Template**  
 Serial Number: XX  
 Airframe Total Time: 0.0  
 Prepared: 8/4/11 (12:05 PM)

**Caravan Leasing Co., LLC**  
 PO Box 9345  
 Anchorage, AK 99452

COMPONENT		MODEL	ATA	ACTION	INTERVAL	USED	REMAINING
<input type="checkbox"/>	<input type="checkbox"/>	Gill Battery- Recurring Cap Check		INSPECT	400.0H	0.0H	400.0H
<input type="checkbox"/>	<input type="checkbox"/>	H Stab FWD and AFT Attach Points		INSPECT	20000.0H	0.0H	20000.0H
<input type="checkbox"/>	<input type="checkbox"/>	H Stabilizer Spars-Severe		INSPECT	17500.0H	0.0H	17500.0H
<input type="checkbox"/>	<input type="checkbox"/>	H Stabilizer Spars-Typical		INSPECT	20000.0H	0.0H	20000.0H
<input type="checkbox"/>	<input type="checkbox"/>	Hydro Ck & Recharge/Ops 13/L		INSPECT	144M	1M	143M
				REPLACE	144M	1M	143M
<input type="checkbox"/>	<input type="checkbox"/>	LH ENC ALT 91-411/OPS 10/1		INSPECT	24M	1M	23M
<input type="checkbox"/>	<input type="checkbox"/>	LH Static System 91-411/Ops 10/1		INSPECT	24M	1M	23M
<input type="checkbox"/>	<input type="checkbox"/>	LH Transponder 91-413/Ops 10/1		INSPECT	24M	1M	23M
<input type="checkbox"/>	<input type="checkbox"/>	Lower Carry-Thru Bulkhead		INSPECT	12500.0H	0.0H	12500.0H
<input type="checkbox"/>	<input type="checkbox"/>	Main Landing Gear Axle					
<input type="checkbox"/>	<input type="checkbox"/>	Main Landing Gear Fitting					
<input type="checkbox"/>	<input type="checkbox"/>	MLG Attach Fittings Aft Carry-Thru Bulkhead		INSPECT	12500.0H	0.0H	12500.0H
<input type="checkbox"/>	<input type="checkbox"/>	Pax & Cargo Door Frames		INSPECT	20000.0H	0.0H	20000.0H
<input type="checkbox"/>	<input type="checkbox"/>	Rear Spar Lower Cap INBD of 14120		INSPECT	20000.0H	0.0H	20000.0H
<input type="checkbox"/>	<input type="checkbox"/>	RH ENC ALT 91-411/OPS 10/1		INSPECT	24M	1M	23M
<input type="checkbox"/>	<input type="checkbox"/>	RH Static System 91-411/Ops 10/1		INSPECT	24M	1M	23M
<input type="checkbox"/>	<input type="checkbox"/>	RH Transponder 91-413/Ops 10/1		INSPECT	24M	1M	23M
<input type="checkbox"/>	<input type="checkbox"/>	Seat Rails and Attach Structure		INSPECT	7500.0H	0.0H	7500.0H
<input type="checkbox"/>	<input type="checkbox"/>	Stringers at Int with FWD/AFT CT Bulkheads		INSPECT	12500.0H	0.0H	12500.0H
<input type="checkbox"/>	<input type="checkbox"/>	Vertical Stab Attach Points-Severe		INSPECT	16500.0H	0.0H	16500.0H
<input type="checkbox"/>	<input type="checkbox"/>	Vertical Stab Attach Points-Typical		INSPECT	20000.0H	0.0H	20000.0H
<input type="checkbox"/>	<input type="checkbox"/>	Vertical Stabilizer Spars-Typical		INSPECT	20000.0H	0.0H	20000.0H
<input type="checkbox"/>	<input type="checkbox"/>	Vertical Stabilizer Spars-Severe		INSPECT	16500.0H	0.0H	16500.0H
<input type="checkbox"/>	<input type="checkbox"/>	Windshield Strut Attachment		INSPECT	20000.0H	0.0H	20000.0H
<input type="checkbox"/>	<input type="checkbox"/>	Wing Strut Attachment to FWD Spar		INSPECT	20000.0H	0.0H	20000.0H
<input type="checkbox"/>	<input type="checkbox"/>	Wing Strut Eddy Current/CHP4		INSPECT	5000C	0C	5000C

# TimeTrac SERVICE REPORT



**Cessna C208 Template**  
 Serial Number: XX  
 Airframe Total Time: 0.0  
 Prepared: 8/4/11 (12:05 PM)

**Caravan Leasing Co., LLC**  
 PO Box 9345  
 Anchorage, AK 99452

COMPONENT		MODEL	ATA	ACTION	INTERVAL	USED	REMAINING
<input type="checkbox"/>	<input type="checkbox"/>	Wing Strut Fittings-Severe		INSPECT	5000.0H	0.0H	5000.0H
<input type="checkbox"/>	<input type="checkbox"/>	Wing Strut Fittings-Typical		INSPECT	10000.0H	0.0H	10000.0H
<input type="checkbox"/>	<input type="checkbox"/>	Wing Strut Insp/Chapter 4		INSPECT	10000C	0C	10000C
<input type="checkbox"/>	<input type="checkbox"/>	Wing to CT- Rear Spar Fittings		INSPECT	20000.0H	0.0H	20000.0H
<input type="checkbox"/>	<input type="checkbox"/>	Wing to CT-Front Spar Fittings		INSPECT	20000.0H	0.0H	20000.0H
<b>ENGINE</b>							
<input type="checkbox"/>	<input type="checkbox"/>	Compressor Turbine Blade Inspection		INSPECT	5000.0H	0.0H	5000.0H
<input type="checkbox"/>	<input type="checkbox"/>	Disk- Compressor 2nd Stage		REPLACE	24000C	0C	24000C
<input type="checkbox"/>	<input type="checkbox"/>	Disk- Compressor 3rd Stage		REPLACE	25000C	0C	25000C
<input type="checkbox"/>	<input type="checkbox"/>	Disk- Compressor Turbine		REPLACE	16000C	0C	16000C
<input type="checkbox"/>	<input type="checkbox"/>	Disk- Power Turbine		REPLACE	20000C	0C	20000C
<input type="checkbox"/>	<input type="checkbox"/>	Engine		OVERHAUL	3600.0H	0.0H	3600.0H
<input type="checkbox"/>	<input type="checkbox"/>	Engine Fuel Pump Coupling Inspection		INSPECT	3600.0H	0.0H	3600.0H
<input type="checkbox"/>	<input type="checkbox"/>	Engine Gas Generator		OVERHAUL	3600.0H	0.0H	3600.0H
<input type="checkbox"/>	<input type="checkbox"/>	Engine Power Section		OVERHAUL	3600.0H	0.0H	3600.0H
<input type="checkbox"/>	<input type="checkbox"/>	Exciter-Ignition		REPLACE	4100.0H	0.0H	4100.0H
<input type="checkbox"/>	<input type="checkbox"/>	Fuel Control Unit		OVERHAUL	4100.0H	0.0H	4100.0H
<input type="checkbox"/>	<input type="checkbox"/>	Fuel Nozzle/HSI Boroscope		INSPECT	400.0H	0.0H	400.0H
<input type="checkbox"/>	<input type="checkbox"/>	Fuel Pump		OVERHAUL	4100.0H	0.0H	4100.0H
<input type="checkbox"/>	<input type="checkbox"/>	Fuel Pump Outlet Filter		REPLACE	500.0H	0.0H	500.0H
<input type="checkbox"/>	<input type="checkbox"/>	Hot Section Inspection		INSPECT	1800.0H	0.0H	1800.0H
<input type="checkbox"/>	<input type="checkbox"/>	Hub- Compressor 1st Stage		REPLACE	19000C	0C	19000C
<input type="checkbox"/>	<input type="checkbox"/>	Impeller		REPLACE	13000C	0C	13000C
<input type="checkbox"/>	<input type="checkbox"/>	Oil		REPLACE	400.0H	0.0H	400.0H
<input type="checkbox"/>	<input type="checkbox"/>	Oil Filter/Ops 19/R		REPLACE	1000.0H	0.0H	1000.0H
<input type="checkbox"/>	<input type="checkbox"/>	Oil/Fuel Heater		OVERHAUL	4100.0H	0.0H	4100.0H
<input type="checkbox"/>	<input type="checkbox"/>	P3 Filter/Ops 19		REPLACE	1000.0H	0.0H	1000.0H

# TimeTrac SERVICE REPORT



**Cessna C208 Template**  
 Serial Number: XX  
 Airframe Total Time: 0.0  
 Prepared: 8/4/11 (12:05 PM)

**Caravan Leasing Co., LLC**  
 PO Box 9345  
 Anchorage, AK 99452

COMPONENT	MODEL	ATA	ACTION	INTERVAL	USED	REMAINING	
<input type="checkbox"/> <input type="checkbox"/>			Starter-Generator	OVERHAUL	2000.OH	0.0H	2000.0H
<input type="checkbox"/> <input type="checkbox"/>			Valve- Compressor Bleed	OVERHAUL	4100.OH	0.0H	4100.0H
<b>APPLIANCES</b>							
<input type="checkbox"/> <input type="checkbox"/>			*Cabin Fire Ext Recharg/Ops 10/1	OVERHAUL	72M	----	----
<input type="checkbox"/> <input type="checkbox"/>			*Entertainment SYS CB Check	INSPECT	400.0H	----	----
<input type="checkbox"/> <input type="checkbox"/>			*Oxy Cyl Hyd Test/Ops 11/J	INSPECT	36M	----	----
<input type="checkbox"/> <input type="checkbox"/>			*Oxygen Cylinder 115 cu/ft	INSPECT	180M	----	----
<input type="checkbox"/> <input type="checkbox"/>			Aft Curtain/Inspect Condition	INSPECT	400.0H	0.0H	400.0H
<b>AVIONICS</b>							
<input type="checkbox"/> <input type="checkbox"/>			*TimeTrac Battery	REPLACE	120M	----	----
<b>PROPELLER</b>							
<input type="checkbox"/> <input type="checkbox"/>			*Prop Overspeed Governor	OVERHAUL	6500.OH	----	----
<input type="checkbox"/> <input type="checkbox"/>			*Propeller	OVERHAUL	4000.OH/72M	----	----
<b>HOSES</b>							
<input type="checkbox"/> <input type="checkbox"/>			*Engine Compartment Rubber Hoses	REPLACE	3500.OH/36M	----	----
<input type="checkbox"/> <input type="checkbox"/>			*Engine Compartment Teflon Hoses	REPLACE	3500.OH/120M	----	----